













## 5. Author Contributions

Ben Sadok B. and Sadok S. designed the experiment; Ben Sadok conducted the practical work, investigation, methodology, writing-original. Sadok S. supervision writing-review and editing. All authors have read and agreed to the published version of the manuscript.”

**Conflicts of Interest:** “The authors declare no conflict of interest.”

## References

1. Abdulkarim, A., Isa, M.T., Abdulsalam, S., Muhammad, A.J. & Ameh, A.O. (2013). Extraction and characterization of chitin and chitosan from mussel shell. *Civil and Environmental Research*, 3(2), 108-114.
2. Alabaraoye, E., Achilonu, M. & Hester R. (2018). Biopolymer (Chitin) from Various Marine Seashell Wastes: Isolation and Characterization. *Journal of Polymers and the Environment*, 26, 2207–2218. <https://doi.org/10.1007/s10924-017-1118-y>
3. Al-Sagheer, F., Al-Sughayer, M., Muslim, S. & Elsabee, M. (2009). Extraction and characterization of chitin and chitosan from marine sources in Arabian Gulf, *Carbohydrate Polymers*, 77(2) 410–419. <https://doi.org/10.1016/j.carbpol.2009.01.032>
4. Association of Official Analytical Chemists - AOAC (1995). Official methods of analysis (16th ed.). Washington, DC.
5. Aye, K. N. & Stevens, W. F. (2004). Improved chitin production by pretreatment of shrimp shells. *Journal of Chemical Technology and Biotechnology*, 79(4), 421–425. <https://doi.org/10.1002/jctb.990>
6. Ben habiles, M. S., Salah, R., Lounici, H., Drouiche, N., Goosen, M.F.A. & Mameri, N. (2012). Antibacterial activity of chitin, chitosan and its oligomers prepared from shrimp shell waste. *Food Hydrocolloids*, 29(1), 48–56. <https://doi.org/10.1016/j.foodhyd.2012.02.013>
7. Brugnerotto, J., Lizardi, J., Goycoolea, F. M., Argüelles-Monal, W., Desbrieres, J. & Rinaudo, M. (2001). An infrared investigation in relation with chitin and chitosan characterization. *Polymer*, 42(8), 3569-3580. [https://doi.org/10.1016/S0032-3861\(00\)00713-8](https://doi.org/10.1016/S0032-3861(00)00713-8)
8. Dhanabalan, V., Xavier, K.A.M., Eppen, S., Joy, A., Balange, A., Asha, K.K., Murthy, L.N& Nayak, B.B. (2021). Characterization of chitin extracted from enzymatically deproteinized Acetes shell residue with varying degree of hydrolysis. *Carbohydrate Polymers*, 253, art. no.117203. <https://doi.org/10.1016/j.carbpol.2020.117203>
9. Dubois, M., Gilles, K.A., Hamilton, J.K., Rebers, P.A. & Smith, F. (1956). Colorimetric Method for Determination of Sugars and Related Substances. *Analytical Chemistry*, 28(3), 350–356. <https://doi.org/10.1021/ac60111a017>
10. El Knidri, H., Belaabed, R., Addaou, A., Laajeb, A. & Lahsini, A. (2018). Extraction, chemical modification and characterization of chitin and chitosan: A review. *International Journal of Biological Macromolecules*, 120, Part A, 1181-1189. <https://doi.org/10.1016/j.ijbiomac.2018.08.139>
11. Fathima, PE., Panda, S.K., Ashraf, P.M., Varghese, T.O. & Bindu, J. (2018). Polylactic acid/chitosan films for packaging of Indian white prawn (*Fenneropenaeus indicus*). *International Journal of Biological Macromolecules*, 117, 1002–1010. <https://doi.org/10.1016/j.ijbiomac.2018.05.214>
12. Folch, J., Lees, M. & Stanley, G.H.S. (1957). A simple method for the isolation and purification of total lipids from animal tissues. *Journal of Biological Chemistry*, 226 (1), 497-509. [https://doi.org/10.1016/S0021-9258\(18\)64849-5](https://doi.org/10.1016/S0021-9258(18)64849-5)
13. Galed, G., Miralles, B., Paños, I., Santiago, A. & Heras, Á. (2005). N-Deacetylation and depolymerization reactions of chitin/chitosan: Influence of the source of chitin. *Carbohydrate Polymers*, 62(4), 316-320.

- <https://doi.org/10.1016/j.carbpol.2005.03.019>
14. Gopalakannan, A., Indra, Jasmine, G., Shanmugam, S.A. & Sugumar, G. (2000). Application of proteolytic enzyme, papain for the production of chitin and chitosan from shrimp waste. *Journal of the Marine Biological Association of India*, 42(1-2), 167–172.
  15. Haripriya, S., Kanayairam, V. & Ramaniba, R. (2018). Chitin and chitosan preparation from shrimpshells *Penaeus monodon* and its human ovarian cancer cell line, PA-1. *International Journal of Biological Macromolecules*, 107 (Part A), 662–667.  
<https://doi.org/10.1016/j.ijbiomac.2017.09.035>
  16. Hassainia, A., Satha, H. & Boufi, S. (2017). Chitin from *Agaricus bisporus*: Extraction and characterization. *International Journal of Biological Macromolecules*, 117, 1334–1342.  
<https://doi.org/10.1016/j.ijbiomac.2017.11.172>
  17. Hirano, S. (1996). Chitin biotechnology applications. *Biotechnology Annual Review*, 2, 237–258.  
[https://doi.org/10.1016/S1387-2656\(08\)70012-7](https://doi.org/10.1016/S1387-2656(08)70012-7)
  18. Ibitoye, E.B., Lokman, I.H., Hezmee, M.N.M., Goh, Y.M., Zuki, A.B.Z. & Jimoh, A.A. (2018). Extraction and physicochemical characterization of chitin and chitosan isolated from house cricket. *Biomedical Materials*, 13(2) 025009.  
<https://doi.org/10.1088/1748-605X/aa9dde>
  19. Kanatt, S. R., Chander, R. & Sharma, A. (2004). Effect of irradiated chitosan on the rancidity of radiation-processed lamb meat. *International Journal of Food Science & Technology*, 39(9), 997-1003.  
<https://doi.org/10.1111/j.1365-2621.2004.00868.x>
  20. Kaya, M., Akata, I., Baran, T. & Menteş, A. (2015). Physicochemical properties of chitin and chitosan produced from medicinal fungus (*Fomitopsis pinicola*). *Food Biophysics*, 10, 162–168.  
<https://doi.org/10.1007/s11483-014-9378-8>
  21. Khan, T. A., Peh, K. K. & Ch'ng, H. S. (2000). Mechanical, bioadhesive strength and biological evaluations of chitosan films for wound dressing. *Journal of Pharmacy and Pharmaceutical Sciences*, 3(3), 303-311.
  22. Kim, M.W., Song, Y.S., Han, Y.S., Jo, Y.H., Choi, M.H., Park, Y.K., Kang, S.H., Kim, S.A., Choi C. & Jung, W.J. (2017). Production of chitin and chitosan from the exoskeleton of adult two spotted field crickets (*Gryllus bimaculatus*). *Entomological Research*, 47(5), 279–285.  
<https://doi.org/10.1111/1748-5967.12239>
  23. Kim, Y. & Park, R. D. (2015). Progress in bioextraction processes of chitin from crustacean biowastes. *Journal of the Korean Society for Applied Biological Chemistry*, 58(4), 545-554.  
<https://doi.org/10.1007/s13765-015-0080-4>
  24. Kulawik, P., Jamróz, E., Özogul, F. (2019). Chitosan for Seafood Processing and Preservation. In: Crini, G., Lichtfouse, E. (eds) Sustainable Agriculture Reviews 36. Sustainable Agriculture Reviews, vol 36. Springer, Cham. [https://doi.org/10.1007/978-3-030-16581-9\\_2](https://doi.org/10.1007/978-3-030-16581-9_2)
  25. Kumari, S., Annamareddy, S.H.K., Abanti, S. & Rath, P.K. (2017). Physicochemical properties and characterization of chitosan synthesized from fish scales, crab and shrimp shells. *International Journal of Biological Macromolecules*, 104 (Part B), 1697–1705.  
<https://doi.org/10.1016/j.ijbiomac.2017.04.119>
  26. Kumirska, J., Weinhold, M. X., Sauvageau, J. C., Thöming, J., Kaczyński, Z. & Stepnowski, P. (2009). Determination of the pattern of acetylation of low-molecular-weight chitosan used in biomedical applications. *J. Pharma. biomedical Anal*, 50(4), 587-590.
  27. Lourenço, S.O., Barbarino, E., Lavín, P.L., Lanfer Marquez, U.M. & Aidar, E. (2004). Distribution of intracellular nitrogen in marine microalgae: Calculation of new nitrogen-to-protein conversion factors. *European Journal of Phycology*, 39(1), 17–32.



- <https://doi.org/10.1080/0967026032000157156>
28. Luo, Q., Wang, Y., Han, Q., Ji, L., Zhang, H., Fei, Z., et al. (2019). Comparison of the physicochemical, rheological and morphologic properties of chitosan from four insects. *Carbohydr. Polym.*, 266–275. <https://doi.org/10.1016/j.carbpol.2019.01.030>
  29. McReynolds, C., Adrien, A., Castejon, N. & Fernandes, S. C. (2022). Green in the deep blue: deep eutectic solvents as versatile systems for the processing of marine biomass. *Green Chemistry Letters and Reviews*, 15(2), 382-403. <https://doi.org/10.1080/17518253.2022.2065890>
  30. Mohan, K., Ganesan, A.R., Muralisankar, T., Jayakumar, R., Sathishkumar, P., Uthayakumar, V. & Revathi, N. (2020). Recent insights into the extraction, characterization, and bioactivities of chitin and chitosan from insects. *Trends in Food Science & Technology*, 105, 17-42. <https://doi.org/10.1016/j.tifs.2020.08.016>
  31. No, H. K. & Meyers, S. P. (1995). Preparation and characterization of chitin and chitosan—a review. *Journal of Aquatic Food Product Technology*, 4(2), 27–52. [https://doi.org/10.1300/J030v04n02\\_03](https://doi.org/10.1300/J030v04n02_03)
  32. No, H. K., Lee, K. S. & Meyers, S. P. (2000). Correlation between physicochemical characteristics and binding capacities of chitosan products. *Journal of Food Science*, 65(7), 1134–1137. <https://doi.org/10.1111/j.1365-2621.2000.tb10252.x>
  33. Ospina Álvarez, S.P., Ramírez Cadavid, D.A., Escobar Sierra, D.M., Ossa Orozco, C.P., Rojas Vahos, D.F., Zapata Ocampo, P. & Atehortúa, L. (2014). Comparison of extraction methods of chitin from *Ganoderma lucidum* mushroom obtained in submerged culture, *BioMed Research International*, Article ID 169071. <https://doi.org/10.1155/2014/169071>
  34. Pakizeh, M., Moradi, A. & Ghassemi, T. (2021). Chemical extraction and modification of chitin and chitosan from shrimp shells. *European Polymer Journal*, 159, 110709. <https://doi.org/10.1016/j.eurpolymj.2021.110709>
  35. Pellis, A.; Guebitz, G.M. & Nyanhongo, G.S. (2022). Chitosan: Sources, Processing and Modification Techniques. *Gels*, 8 (7), 393. <https://doi.org/10.3390/gels8070393>
  36. Pohling, J., Dave, D., Liu, Y., Murphy, W. & Trenholm, S. (2022). Two-step demineralization of shrimp (*Pandalus borealis*) shells using citric acid: an environmentally friendly, safe and cost-effective alternative to the traditional approach. *Green Chemistry*, 24(3), 1141-1151. <https://doi.org/10.1039/D1GC03140F>
  37. Rasti, H., Parivar, K., Baharara, J., Iranshahi, M. & Namvar, F. (2017). Chitin from the mollusk Chiton: extraction, characterization and chitosan preparation. *Iranian Journal of Pharmaceutical Research*, 16(1) 366–379.
  38. Rasweefali, M. K., Sabu, S., Azad, K. M., Rahman, M. R., Sunooj, K. V., Sasidharan, A. & Anoop, K. K. (2022). Influence of deproteinization and demineralization process sequences on the physicochemical and structural characteristics of chitin isolated from Deep-sea mud shrimp (*Solenocera hextii*). *Advances in Biomarker Sciences and Technology*, 4, 12-27. <https://doi.org/10.1016/j.abst.2022.03.001>
  39. Ravi Kumar, M.N.V. (2000). A Review of chitin and chitosan applications. *Reactive and Functional Polymers*, 46 (1), 1–27. [https://doi.org/10.1016/S1381-5148\(00\)00038-9](https://doi.org/10.1016/S1381-5148(00)00038-9)
  40. Rødde, R. H., Einbu, A. & Vårum, K. M. (2008). A seasonal study of the chemical composition and chitin quality of shrimp shells obtained from northern shrimp (*Pandalus borealis*). *Carbohydrate Polymers*, 71(3), 388-393. <https://doi.org/10.1016/j.carbpol.2007.06.006>
  41. Roy, S., & Rhim, J. W. (2022). Genipin-Cross linked Gelatin/Chitosan-Based Functional Films Incorporated with Rosemary Essential Oil and Quercetin.

- Materials*, 15(11), 3769. <https://doi.org/10.3390/ma15113769>
42. Rumengan I.F.M., Suptijah P., Wullur S. & Talumepa A. (2017). Characterization of chitin extracted from fish scales of marine fish species purchased from local markets in North Sulawesi, Indonesia. In: *IOP Conference Series: Earth and Environmental Science*, 89), 012028.
  43. Santos, V. P., Marques, N. S. S., Maia, P. C. S. V., Lima, M. A. B. de, Franco, L. de O. & Campos-Takaki, G. M. (2020). Seafood Waste as Attractive Source of Chitin and Chitosan Production and Their Applications. *International Journal of Molecular Sciences*, 21(12), 4290. <https://doi.org/10.3390/ijms21124290>
  44. Setiati, R., Siregar, S., Wahyuningrum, D. & Rinanti, A. (2021). Synthesis method of chitin become chitosan polymer from shrimp shells for enhanced oil recovery. *IOP Conference Series: Earth and Environmental Science*, 737(1), 012048. DOI [10.1088/1755-1315/737/1/012048](https://doi.org/10.1088/1755-1315/737/1/012048)
  45. Silva-Pereira, M.C, Teixeira, J.A, Pereira-Júnior, V.A. & Stefani, R. (2015). Chitosan/corn starch blend films with extract from *Brassica oleraceae* (red cabbage) as a visual indicator of fish deterioration. *LWT - Food Science and Technology*, 61(1), 258–262. <https://doi.org/10.1016/j.lwt.2014.11.041>
  46. Srinivasan, H., Kanayairam, V. & Ravichandran, R. (2018). Chitin and chitosan preparation from shrimp shells *Penaeus monodon* and its human ovarian cancer cell line, PA-1. *International Journal of Biological Macromolecules*, 107 (Part A), 662–667. <https://doi.org/10.1016/j.ijbiomac.2017.09.035>
  47. Terbojevich, M., Cosani, A. & Muzzarelli, R. A. A. (1996). Molecular parameters of chitosan depolymerized with the aid of papain. *Carbohydrate Polymers*, 29(1), 63-68. [https://doi.org/10.1016/0144-8617\(95\)00147-6](https://doi.org/10.1016/0144-8617(95)00147-6)
  48. Triunfo, M., Tafi, E., Guarnieri, A. et al. (2022). Characterization of chitin and chitosan derived from *Hermetia illucens*, a further step in a circular economy process. *Scientific Reports*, 12, 6613, 1-17 <https://doi.org/10.1038/s41598-022-10423-5>
  49. Wang, J. C., & Kinsella, J. E. (1976). Functional properties of novel proteins: Alfalfa leaf protein. *Journal of Food Science*, 41(2), 286-292. <https://doi.org/10.1111/j.1365-2621.1976.tb00602.x>
  50. Waśko, A., Bulak, P., Polak-Berecka, M., Nowak, K., Polakowski, C. & Bieganski, A. (2016). The first report of the physicochemical structure of chitin isolated from *Hermetia illucens*. *International Journal of Biological Macromolecules*. 92, 316–320. <https://doi.org/10.1016/j.ijbiomac.2016.07.038>
  51. Younes, I., Ghorbel-Bellaaj, O., Nasri, R., Chaabouni, M., Rinaudo, M. & Nasri, M. (2012). Chitin and chitosan preparation from shrimp shells using optimized enzymatic deproteinization. *Process Biochemistry*, 47(12), 2032-2039. <https://doi.org/10.1016/j.procbio.2012.07.017>

